WELL COMPLETIONS

Utah Division of Oil, Gas and Mining

WELL COMPLETION REPORTS RECEIVED **DURING AUGUST 1999**

COUNTY: CARBON

RIVER GAS CORPORATION LDS 17-133
WORK TYPE: DRILL API: 4300730296 NWSE 17 15.0S 10.0E

ELEVATION: 5601* GR SURFACE: 1500 FSL 1700 FEL FIELD: DRUNKARDS WASH

TOTAL DEPTH: 1551 PRODUCING ZONE: FERRON SANDSTONE
COMPLETION DATE: 05/18/99 PRODUCING GAS WELL INTERVAL: 1188-1315

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 11 WATER (BBLS): 244

RIVER GAS CORPORATION UTAH 03-215 API: 4300730297 SESE 03 15.0S 09.0E

WORK TYPE: DRILL SURFACE: 0988 FSL 0604 FEL ELEVATION: 6005* GR

PRODUCING ZONE: FERRON SANDSTONE TOTAL DEPTH: 2550 FIELD: DRUNKARDS WASH TOTAL DEPTH: 2550 PRODUCING ZONE: FEKI COMPLETION DATE: 05/14/99 PRODUCING GAS WELL INTERVAL: 2225-2392

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 22 WATER (BBLS): 355

RIVER GAS CORPORATION UTAH 34-270 API: 4300730347 NWNW 34 15.0S 09.0E

SURFACE: 0774 FNL 0756 FWL

TOTAL DEPTH: 2892 PRODUCING ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED COMPLETION DATE: 07/01/99 PRODUCING GAS WELL INTERVAL: 2548-2671

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 116 WATER (BBLS): 313

RIVER GAS CORPORATION UTAH 08-231 API: 4300730411 SENW 08 15.0S 09.0E

WORK LYPE: DRILL ELEVATION: 6480* GR
TOTAL DEPTH: 3285 SURFACE: 1321 FNL 1738 FWL PRODUCING ZONE: FERRON SANDSTONE FIELD: DRUNKARDS WASH

COMPLETION DATE: 07/02/99 PRODUCING GAS WELL INTERVAL: 3000-3145

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 313 WATER (BBLS): 881

RIVER GAS CORPORATION UTAH 04-218 API: 4300730418 SESE 04 15.0S 09.0E

TOTAL DEPTH: 3040

COMPUTATION: 6340* GR SURFACE: 1084 FSL 0509 FEL

PRODUCING ZONE: FERRON SANDSTONE FIELD: DRUNKARDS WASH

TOTAL DEPTH: 3040 PRODUCING ZUNE. FENT COMPLETION DATE: 07/01/99 PRODUCING GAS WELL INTERVAL: 2602-2774

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 45 WATER (BBLS): 1000

RIVER GAS CORPORATION

WORK TYPE: DRILL UTAH 07-235 API: 4300730421 NESE 07 15.0S 09.0E

TOTAL DEPTH: 3331

COMPRESSION STATES OF THE SURFACE: 2098 FSL 0510 FEL

TOTAL DEPTH: 3331 PRODUCING ZONE: FERRON SANDSTONE
COMPLETION DATE: 07/01/99 PRODUCING GAS WELL FIELD: DRUNKARDS WASH INTERVAL: 3010-3159

INITIAL PRODUCTION TEST - OIL (BBLS): 0 GAS (MCF): 401 WATER (BBLS): 498

Page 1 10/06/99 SURFACE: 1395 FNL 0979 FWL RIVER GAS CORPORATION USA 20-288 API: 4300730451 NWSW 20 15.0S 10.0E WORK TYPE: DRILL ELEVATION: 5678* GR
TOTAL DEPTH: 1743 PRODUCING 70NF· FFRE TOTAL DEPTH: 1743 PRODUCING ZONE: FERRON SANDSTONE FIELD: DRUNKARDS WASH

COMPLETION DATE: 05/04/99 PRODUCING GAS WELL INTERVAL: 1364-1508 SURFACE: 1566 FSL 1125 FWL COMPLETION DATE: 05/04/99 PRODUCING GAS WELL INITIAL PRODUCTION TEST - OIL (BBLS): 0 GAS (MCF): 109 WATER (BBLS): 138 RIVER GAS CORPORATION USA 30-289 NWNE 30 15.0S 10.0E

API: 4300730452 WORK TYPE: DRILL ELEVATION: 5799* GR
TOTAL DEPTH: 1934 PRODUCING ZONE: FER SURFACE: 1184 FNL 1353 FEL PRODUCING ZONE: FERRON SANDSTONE FIELD: DRUNKARDS WASH TOTAL DEPTH: 1934 PRODUCING ZUNE: FERRUN SANDSTONE

COMPLETION DATE: 05/11/99 PRODUCING GAS WELL INTERVAL: 1554-1702 INITIAL PRODUCTION TEST - OIL (BBLS): 0 GAS (MCF): 26 WATER (BBLS): 198

RIVER GAS CORPORATION USA 30-290 API: 4300730453 SWSE 30 15.0S 10.0E WORK TYPE: DRILL ELEVATION: 5846* GR SURFACE
TOTAL DEPTH: 1946 PRODUCING ZONE: FERRON SANDSTONE FIELD:
COMPLETION DATE: 05/11/99 PRODUCING GAS WELL INTERV
INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 0 WATER (BBLS): 190 WORK TYPE: DRILL SURFACE: 1080 FSL 1508 FEL FIELD: DRUNKARDS WASH INTERVAL: 1528-1670

RIVER GAS CORPORATION UTAH 27-269 API: 4300730458 NESE 27 15.0S 09.0E WORK TYPE: DRILL ELEVATION: 6055* GR SURFACE: 1661 FSL 079
TOTAL DEPTH: 2715 PRODUCING ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED
COMPLETION DATE: 05/05/99 PRODUCING GAS WELL INTERVAL: 2322-2438 - -SURFACE: 1661 FSL 0795 FEL INITIAL PRODUCTION TEST - OIL (BBLS): 0 GAS (MCF): 39 WATER (BBLS): 358

RIVER GAS CORPORATION HELPER & ASSOC 18-236 API: 4300730459 NWNE 18 15.0S 09.0E
WORK TYPE: DRILL
TOTAL DEPTH: 3310 PRODUCING ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED WORK TYPE: DRILL ELEVATION: 6424* GR SURFACE: 0896 FNL 1511

TOTAL DEPTH: 3310 PRODUCING ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED

COMPLETION DATE: 08/04/99 PRODUCING GAS WELL INTERVAL: 2979-3126

INITIAL PRODUCTION TEST - OIL (BBLS): 0 GAS (MCF): 87 WATER (BBLS): 874 SURFACE: 0896 FNL 1511 FEL

WORK TYPE: DRILL ELEVATION: 6679* GR
TOTAL DEPTH: 3544
COMPLETION DATE: RIVER GAS CORPORATION UTAH 01-208

WORK TYPE: DRILL ELE NWNE 01 15.0S 08.0E WORK TYPE: DRILL ELEVATION: 6679* GR SURFACE: 1246 FNL 1831

TOTAL DEPTH: 3544 PRODUCING ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED

COMPLETION DATE: 07/22/99 PRODUCING GAS WELL INTERVAL: 3124-3338 SURFACE: 1246 FNL 1831 FEL COMPLETION DATE: 07/22/99 PRODUCING GAS WELL INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 1207 WATER (BBLS): 1646

RIVER GAS CORPORATION UTAH 31-199

WORK TYPE: DRILL ELEVATION: 6586 GR
TOTAL DEPTH: 3451 PRODUCING ZONE: FERF SWSW 31 14.0S 09.0E API: 4300730480 SURFACE: 1125 FSL 0928 FWL TOTAL DEPTH: 3451 PRODUCING ZONE: FERRON SANDSTONE FIELD: DRUNKARDS WASH COMPLETION DATE: 07/02/99 PRODUCING GAS WELL INTERVAL: 3002-3225 INITIAL PRODUCTION TEST - OIL (BBLS): 0 GAS (MCF): 276 WATER (BBLS): 347

Page 2 10/06/99 RIVER GAS CORPORATION UTAH 18-237 API: 4300730485 NWSE 18 15.0S 09.0E

TOTAL DEPTH: 3353

COMPLETION: 6418 GR SURFACE: 1867 FSL 1920 FEL TOTAL DEPTH: 3353 PRODUCING ZONE: FERRON SANDSTONE FIELD: DRUNKARDS WASH COMPLETION DATE: 08/03/99 PRODUCING GAS WELL INTERVAL: 2984-3122

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 236 WATER (BBLS): 985

API: 4300730488 RIVER GAS CORPORATION UTAH 08-233 SWSE 08 15.0S 09.0E

WORK TYPE: DRILL ELEVATION: 6307 GR
TOTAL DEPTH: 3117 PRODITIONG ZONE: EFF SURFACE: 0468 FSL 2030 FEL TOTAL DEPTH: 3117 PRODUCING ZONE: FERRON SANDSTONE
COMPLETION DATE: 07/01/99 PRODUCING GAS WELL FIELD: DRUNKARDS WASH

INTERVAL: 2856-2980

INITIAL PRODUCTION TEST - OIL (BBLS): 0 GAS (MCF): 213 WATER (BBLS): 1096

API: 4300730495 RIVER GAS CORPORATION NESE 33 15.0S 09.0E

SURFACE: 1401 FSL 1029 FEL

TOTAL DEPTH: 2826 PRODUCING 7017 PRODUCING ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED TOTAL DEPTH: 2826 PRODUCING ZUNE: FERRUN S. COMPLETION DATE: 05/13/99 PRODUCING GAS WELL INTERVAL: 2470-2598

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 46 WATER (BBLS): 428

RIVER GAS CORPORATION UTAH 34-271 API: 4300730496 NWSW 34 15.0S 09.0E

SURFACE: 1693 FSL 0965 FWL

WUKK IYPE: DRILL ELEVATION: 6107* GR
TOTAL DEPTH: 2737 PRODI ICINIC 701" PRODUCING ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED COMPLETION DATE: 05/13/99 PRODUCING GAS WELL INTERVAL: 2428-2558

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 32 WATER (BBLS): 210

RIVER GAS CORPORATION UTAH 26-267 API: 4300730514 SENW 26 15.0S 09.0E

SURFACE: 1836 FNL 2130 FWL

WORK TYPE: DRILL ELEVATION: 5967* GR

TOTAL DEPTH: 2577 PRODUCING ZONE: FERRON SANDSTONE

COMPLETION DATE: 05/05/99 PRODUCING GAS WELL FIFLD: UNDESIGNATED INTERVAL: 2184-2320

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 29 WATER (BBLS): 554

COUNTY: DUCHESNE

API: 4301331534 SWNW 18 05.0S 03.0W

PETROGLYPH OPERATING CO UTE TRIBAL 18-05

WORK TYPE: DRILL ELEVATION: 6178* GR WORK TYPE: DRILL ELEVATION: 61/8 GR
TOTAL DEPTH: 6226 PRODUCING ZONE: GREEN RIVER
COMPLETION DATE: 12/15/98 ACTIVE WATER INJECTION WELL
GAS (MCF): WATER (BBLS): SURFACE: 1935 FNL 0477 FWL

FIELD: ANTELOPE CREEK INTERVAL: 4306-5166

PETROGLYPH OPERATING CO UTE TRIBAL 32-01 API: 4301331577 NENE 32 05.0S 03.0W

VVOKK TYPE: DRILL ELEVATION: 6622* GR
TOTAL DEPTH: 6187 PRODUCING 70NF SURFACE: 0759 FNL 0502 FEL IOTAL DEPTH: 618/ PRODUCING ZONE:

COMPLETION DATE: 01/24/96 TEMPORARILY-ABANDONED OIL WELL
INITIAL PRODUCTION TEST - OIL (BBLS): GAS (MCF): FIELD: ANTELOPE CREEK

INTERVAL:

-ABANDONED OIL WELL

GAS (MCF): WATER (BBLS):

Page 3 10/06/99 WORK TYPE: DRILL ELEVATION: 5970* GR SURFACE: 0702 FNL 0549 FEL TOTAL DEPTH: 6445 PRODUCING ZONE: FIELD: ANTELOPE CREEK

COMPLETION DATE: 06/13/96 TEMPORARILY-ABANDONED OIL WELL INTERVAL:

INITIAL PRODUCTION TEST -- OIL (BBLS): GAS (MCF): WATER (BBLS):

WORK TYPE: DRILL ELEVATION: 6012* GR SURFACE: 0479 FSL 0705 FEL TOTAL DEPTH: 6140 PRODUCING ZONE: GREEN RIVER FIELD: BRUNDAGE CANYON

COMPLETION DATE: 08/07/98 PRODUCING OIL WELL INTERVAL: 4132-6034

INITIAL PRODUCTION TEST -- OIL (BBLS): 30 GAS (MCF): 0 WATER (BBLS): 50

WORK TYPE: DRILL ELEVATION: 6498* GR SURFACE: 1644 FNL 0675 FWL TOTAL DEPTH: 6278 PRODUCING ZONE: GREEN RIVER FIELD: ANTELOPE CREEK COMPLETION DATE: 10/10/96 ACTIVE WATER INJECTION WELL INTERVAL: 4724-5580

INITIAL PRODUCTION TEST - OIL (BBLS): GAS (MCF): WATER (BBLS):

WORK TYPE: DRILL ELEVATION: 6046* GG SURFACE: 0721 FSL 1970 FEL TOTAL DEPTH: 6467 PRODUCING ZONE: FIELD: ANTELOPE CREEK

COMPLETION DATE: 11/13/96 TEMPORARILY-ABANDONED OIL WELL INTERVAL:

INITIAL PRODUCTION TEST -- OIL (BBLS): GAS (MCF): WATER (BBLS):

PETROGLYPH OPERATING CO UTE TRIBAL 17-15 API: 4301331739 SWSE 17 05.0S 03.0W

WORK TYPE: DRILL ELEVATION: 6364* GR SURFACE: 0712 FSL 2034 FEL TOTAL DEPTH: 6194 PRODUCING ZONE: FIELD: ANTELOPE CREEK

COMPLETION DATE: 02/03/97 TEMPORARILY-ABANDONED OIL WELL INTERVAL:

INITIAL PRODUCTION TEST -- OIL (BBLS): GAS (MCF): WATER (BBLS):

PETROGLYPH OPERATING CO UTE TRIBAL 01-16-E4W API: 4301331805 SESE 01 05.0S 04.0W

WORK TYPE: DRILL ELEVATION: 5896* GR SURFACE: 0719 FSL 0832 FEL TOTAL DEPTH: 6151 PRODUCING ZONE: GREEN RIVER FIELD: BRUNDAGE CANYON

COMPLETION DATE: 08/19/98 PRODUCING OIL WELL INTERVAL: 4022-5690

INITIAL PRODUCTION TEST -- OIL (BBLS): 30 GAS (MCF): 0 WATER (BBLS): 50

COUNTY: EMERY

WORK TYPE: DRILL ELEVATION: 6065* GR SURFACE: 1020 FNL 1757 FEL

TOTAL DEPTH: 2739 PRODUCING ZONE: FERRON SANDSTONE FIELD: WILDCAT COMPLETION DATE: 05/14/99 PRODUCING GAS WELL INTERVAL: 2428-2550

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 0 WATER (BBLS): 355

Page 4 10/06/99

RIVER GAS CORPORATION UTAH 4-282 API: 4301530342 NESE 04 16.0S 09.0E SURFACE: 2188 FSL 0911 FEL

VYUKK IYPE: DRILL ELEVATION: 6050 GR
TOTAL DEPTH: 2660 PRODI ICINIO 70115 FIELD: WILDCAT

TOTAL DEPTH: 2660 PRODUCING ZONE: FERRON SANDSTONE
COMPLETION DATE: 05/18/99 PRODUCING GAS WELL INTERVAL: 2350-2480

WATER (BBLS): 263 INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 7

API: 4301530345 RIVER GAS CORPORATION UTAH 3-285 NWSW 03 16.0S 09.0E

TOTAL DEPTH: 2640

COMPLETIONS

ELEVATION: 6025 GR

PROPRIORIES SURFACE: 1917 FSL 0546 FWL PRODUCING ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED COMPLETION DATE: 05/17/99 PRODUCING GAS WELL INTERVAL: 2275-2449

GAS (MCF): 3 WATER (BBLS): 174 INITIAL PRODUCTION TEST -- OIL (BBLS): 0

API: 4301530346 RIVER GAS CORPORATION UTAH 03-284 NWNW 03 16.0S 09.0E

SURFACE: 1218 FNL 0753 FWL

WURK TYPE: DRILL ELEVATION: 6014* GR
TOTAL DEPTH: 2638 PRODUCING ZONIC PRODUCING ZONE: FERRON SANDSTONE FIELD: UNDESIGNATED COMPLETION DATE: 05/13/99 PRODUCING GAS WELL INTERVAL: 2270-2446

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 0 WATER (BBLS): 337

COUNTY: UINTAH

STAGECOACH 12-23 WG CHEVRON USA INC API: 4304733073 NESE 23 08.0S 21.0E

WORK TYPE: DRILL ELEVATION: 4845* GL
TOTAL DEPTH: PRODUCING 70NF SURFACE: 2123 FSL 0645 FEL FIELD: WONSITS VALLEY

COMPLETION DATE: 08/27/99 LOCATION ABANDONED INTERVAL:

API: 4304733074 NESW 23 08.0S 21.0E

CHEVRON USA INC
WORK TYPE: DRILL
TOTAL DEPTH:

STAGECOACH 10-23 WG
ELEVATION: 4815* GL
PRODUCING ZONIE-SURFACE: 1999 FSL 2067 FWL FIELD: WONSITS VALLEY

COMPLETION DATE: 08/27/99 LOCATION ABANDONED INTERVAL:

CNG PRODUCING RBU 6-23F API: 4304733087 SENW 23 10.0S 20.0E

WORK TYPE: DRILL WORK TYPE: DRILL ELEVATION: 5008* GR
TOTAL DEPTH: 8200 PRODI ICING 70NE- MES SURFACE: 1522 FNL 1752 FWL

PRODUCING ZONE: MESAVERDE FIELD: NATURAL BUTTES TOTAL DEPTH: 8200 PRODUCING ZONE: N COMPLETION DATE: 07/28/99 PRODUCING GAS WELL

INTERVAL: 6876-8092

INITIAL PRODUCTION TEST - OIL (BBLS): 0 GAS (MCF): 1086 WATER (BBLS): 78

CNG PRODUCING RBU 2-14E API: 4304733194 NWNE 14 10.0S 19.0E

WORK TYPE: DRILL ELEVATION: 5175* GR
TOTAL DEPTH: 8725 PRODUCING ZONE: MES SURFACE: 0690 FNL 1868 FEL PRODUCING ZONE: MESAVERDE FIELD: NATURAL BUTTES

COMPLETION DATE: 06/30/99 PRODUCING ZUNE: MES, INTERVAL: 6329-8505

GAS (MCF): 651 WATER (BBLS): 0 INITIAL PRODUCTION TEST -- OIL (BBLS): 0

Page 5 10/06/99 API: 4304733275 NWNW 09 09.0S 22.0E

ENRON OIL & GAS CO

WORK TYPE: DRILL
TOTAL DEPTH: 6465

CWU 535-9F

ELEVATION: 4727* GR
PRODUCING ZONE: WAS COMPLETION DATE: 07/26/99 PRODUCTION TEST -- OIL (BBLS): 4727* GR
PRODUCING ZONE: WASATCH
PRODUCTION GAS WELL

5 SURFACE: 0433 FNL 0622 FWL FIELD: NATURAL BUTTES INTERVAL: 5510-6324

INITIAL PRODUCTION TEST -- OIL (BBLS): 5 GAS (MCF): 1292 WATER (BBLS): 7

ENRON OIL & GAS CO API: 4304733331 NWSE 21 09. S 22. E

TOTAL DEPTH: 6170 PRODUCTION COMPLETED NATE: DRILL ELEVATION: 4829 GR SURFACE: 1838 FSL 2383 FEL TOTAL DEPTH: 6170 PRODUCING ZONE: WASATCH
COMPLETION DATE: 08/11/99 PRODUCING GAS WELL FIELD: NATURAL BUTTES INTERVAL: 5257-5986

INITIAL PRODUCTION TEST -- OIL (BBLS): 3 GAS (MCF): 1177 WATER (BBLS): 21

ENRON OIL & GAS CO CWU 407-16N API: 4304733347 NENE 16 09.0S 22.0E

WORK TYPE: DRILL ELEVATION: 4814 GR
TOTAL DEPTH: 6465 PRODUCING ZONE: WAS SURFACE: 0789 FNL 0809 FEL ELEVATION: 4014 GIN
PRODUCING ZONE: WASATCH FIELD: NATURAL BUTTES TOTAL DEPTH: 6465 PRODUCING ZUNE: WASATCH
COMPLETION DATE: 08/05/99 PRODUCING GAS WELL INTERVAL: 5940-6326

INITIAL PRODUCTION TEST -- OIL (BBLS): 3 GAS (MCF): 983 WATER (BBLS): 7

ENRON OIL & GAS CO CWU 460-16F API: 4304733349 SESE 16 09.0S 22.0E

WORK TYPE: DRILL WORK TYPE: DRILL ELEVATION: 4855 GR
TOTAL DEPTH: 6180 PRODUCING ZONE: WA ELEVATION: 4855 GR
PRODUCING ZONE: WASATCH SURFACE: 0683 FSL 0585 FEL FIELD: NATURAL BUTTES COMPLETION DATE: 08/19/99 PRODUCING GAS WELL INTERVAL: 5298-6067

INITIAL PRODUCTION TEST -- OIL (BBLS): 7 GAS (MCF): 1147 WATER (BBLS): 12

MEDALLION EXPLORATION FEDERAL 2-29-7-22 API: 4304715423 NESW 29 07.0S 22.0E

WORK TYPE: REENTER ELEVATION: 5393' KB

TOTAL DEPTH: 8390 PRODUCING ZONE: WASATCH

COMPLETION DATE: 05/21/99 SHUT-IN GAS WELL SURFACE: 1978 FSL 1987 FWL FIFLD: WONSITS VALLEY INTERVAL: 7127-7310

INITIAL PRODUCTION TEST -- OIL (BBLS): 0 GAS (MCF): 0 WATER (BBLS): 50

API: 4304732542 NWSE 08 10.0S 23.0E

SNYDER OIL CORPORATION
WORK TYPE: DRILL
SOUTHMAN CANYON 8-4-J
ELEVATION: 5 WURK TYPE: DRILL ELEVATION: 5331* GR
TOTAL DEPTH: 405

PRODUCING 75: TOTAL DEPTH: 405 SURFACE: 1625 FSL 2200 FEL TOTAL DEPTH: 405 PRODUCING ZONE:

COMPLETION DATE: 11/04/97 PLUGGED & ABANDONED

INITIAL PRODUCTION TEST -- OIL (BBLS): GAS (MCF): WATER (BBLS): FIELD: NATURAL BUTTES

INTERVAL:

SNYDER OIL CORPORATION HORSESHOE BEND 9-4
WORK TYPE: DRILL ELEVATION: API: 4304732579 NWNW 09 07.0S 22.0E

WORK TYPE: DRILL ELEVATION: 4982* GR
TOTAL DEPTH: 320 PRODI ICINIC 70NIF: SURFACE: 0595 FNL 0800 FWL TOTAL DEPTH: 320 PRODUCING ZONE: COMPLETION DATE: 12/12/97 PLUGGED & ABANDONED INITIAL PRODUCTION TEST -- OIL (BBLS): GAS (MCF): WATER (BBLS): FIELD: HORSESHOE BEND

INTERVAL:

Page 6 10/06/99